

KOROL', P.

We are solving major problems. Mast. ugl. 7 no.11:18 N '58.  
(MIRA 11:12)

1.Zamestitel' predsedatelya komiteta prefsoyuza kurnetskey shakhty  
imeni Ordzhonikidze tresta Kubyshevugel'.  
(Coal mines and mining) (Mine management)

KOROL', P.

Such people won't let you down. Mast.ugl. no.7:11 J1 '60.  
(MIRA 13:7)

1. Predsedatel' shakhtnogo komiteta profsoyuza shakhty  
"Zyryanovskaya" tresta Kuybyshevugol'.  
(Trade unions) (Coal mines and mining)

KOROL', P., gvardii polkovnik

We should teach young party members to be good communists. Komm.-  
Vooruzh.Sil.2 no.17:30-35 S '62. (MIRA 15:8)  
(Russia--Army--Political activity)

KOROL', P. Z.

Exchange of experience. Uzb. khim. zhur. no.4:70 '60.  
(MIRA 13:9)

1. Chirchikskiy elektrokhimicheskiy kombinat im. I. V. Stalina.  
(Uzbekistan--Chemistry, Technical)

NABIYEV, M.N.; PALETSKIY, G.V.; ANISIMKIN, I.G.; REBENKO, M.; KALININ, Ye.P.; TROFIMOV, S.M.; VURGAFT, G.V.; POPOV, V.S.; KOROL', P.Z.; KULIK, A.A.; KAL'MAN, L.A.; FARBER, S.I.; MATVEYEV, M., Ye.; GAVRILOV, V.S.; KADYROV, V.K.; IL'YASOV, A.I.; YAKUBOV, S.G.; PROSKURIN, M.P.; NESTERENKO, A.P.; DEZHIN, N.D.; KOCHEROV, V., red.; POPOV, V., red.; SALAKHUTDINOVA, A., tekhn. red.

[Chirchik, a city of major industrial chemical complexes]  
Chirchik - gorod bol'shoi khimii. Tashkent, Gosizdat UzSSR,  
1962. 82 p. (MIRA 16:6)

1. Chlen-korrespondent Akademii nauk UzSSR (for Nabiiev).
2. Rabotniki Chirchikskogo elektrokhimkombinata (for all except Nabiiev, Kocherov, Popov, V., Salakhutdinova).  
(Chirchik—Chemical plants)

AUTHOR: Korol', R., Dubovik, M., Engineers SOV/84-58-8-24/59

TITLE: The An-10 Power Plant (Samolet An-10 - Silovaya ustavovka)

PERIODICAL: Grazhdanskaya aviatsiya, 1958, Nr 8, pp 14-16 (USSR)

ABSTRACT: The article gives a fairly detailed description of the installation of the engines as well as the fuel and oil system and other auxiliaries of the power plant. Parallel to the description of the installation there is an explanation of the operation of systems and parts. No technical data are included. The text is accompanied by two photographs.

Card 1/1

KOROL', R., zamestitel' glavnogo konstruktora

Aeronautics serves the national economy. Av. 1 kosm. 48 no.8, 29-32 Ag  
'65. (MIRA 18:7)

L 00918-66 EWT(d)/EWT(m)/FA/T-2/EWP(h)/EWP(l)

ACCESSION NR: AP5020141

UR/0209/65/000/008/0029/0032

25  
B

AUTHOR: Korol', R. (Deputy chief designer)

TITLE: Aviation serves the national economy /

SOURCE: Aviatsiya i kosmonavtika, no. 8, 1965, 29-32

TOPIC TAGS: passenger aircraft, agriculture, transport aircraft 44, 51

ABSTRACT: In 1964 3.5 times more passengers and 2.1 times more freight were carried by aircraft than in 1958, and 46.7% of the air passengers were transported by aircraft of the types AN-10, AN-24, and AN-2 used for distances up to 1000 km. In the present year the AN-12 will go into service. It has a freight capacity of 123 m<sup>3</sup> and facilities for fast loading and unloading. Eighty tons of freight can be carried for 5000 km by the new AN-22 aircraft. Air travel on many airlines today is no more expensive than going second class by railway. This article presents the carrying and economic characteristics of several passenger aircraft, describes the necessary lengths of runways, and explains the value of aviation in agriculture and forestry. Orig. art. has: 2 photographs.

ASSOCIATION: none

Card 1/2

L\_00918-66

ACCESSION NR: AP5020111

SUBMITTED: -00

ENCL: 00

0  
SUB CODE: AC, GO


NO REF Sov: 000

OTHER: 000

Card 2/2 JP

DYKHOVICHNYY, A.A., inzh., KOROL', S.A., inzh.

Making static calculations on calculating machines. Prom. stroi. i  
inzh. soor. 1 no.1:44-45 0 '59. (MIRA 13:12)  
(Electronic calculating machines) (Girders)



Korol', S.A.

KOROL', S.A.

Bactericidal properties of blood. Medich.zhur. 16:531-547 '47.  
(MIRA 10:12)

1. Z laboratorii antiretikulyarnoi tsitotoksichnoi sirovatki (zav. - doktor med. nauk P.D. Marchuk) Instituta eksperimental'noi biologii i patologii Ministerstva okhoroni zdorov'ya URSR (direktor - akad. O.O. Bogomolets').  
(BLOOD)

KOROL', S.A., kand.biol.nauk

Properties of various antigen fractions and their role in the preparation of antireticular cytotoxic serum. Medich.zhur. 20 no.5:47-64 '50. (MIRA 11:1)

1. Z laboratori Antiretikulyarnoi tsitotoksichnoi sirovotki (zav. laboratoriye - prof. P.D. Marchuk) Instituta eksperimental'-noi biologii i patologii im. akad. O.O. Bogomol'tsya Ministerstva zdravookhroni zdorov'ya URSR (direktor - prof. O.O. Bogomolets')  
(ANTIGENS AND ANTIBODIES)  
(ANTIRETICULAR CYTOTOXIC SERUM)

*Korol', S. A.*

MARCHUK, P.D., prof.; GRAGEROVA, R.B., kand.med.nauk; KOROL', S.A.,  
kand.biol.nauk

Interspecies specificity of antireticular cytotoxic serum. Medych.  
zhur. 20 no.5:94-98 '50.  
(MIRA 11:1)

1. Z laboratorii Antiretikulyarnoi tsitotoksichnoi sirovatki  
(zav. - prof. P.D.Marchuk) Instituta eksperimental'noi biologii i  
patologii im. akad. O.O.Bogomol'tsya Ministerstva okhoroni  
zdrav'ya URSR (direktor - prof. O.O.Bogomolets')  
(ANTIRETICULAR CYTOTOXIC SERUM)

1. KOROL', S. A.
2. USSR (600)
4. Nervous System
7. Some data from the literature on the role of the nervous system in immunity.  
Medych. zhur. 22, No. 1, 1952.
9. Monthly List of Russian Accessions, Library of Congress, April 1953, Uncl.

KOROL', S.A.

Role of vascular reception in the formation of antibodies. Vop.  
fiziol. no.10:132-136 '54  
(MLRA 10:5)

1. Ukrainskiy institut epidemiologii i mikrobiologii.  
(ANTIGENS AND ANTIBODIES) (BLOOD VESSELS--INNERVATION)

KOROL, S.A.

Antigenic and immunogenic properties of the preparation plazmol.  
Medich.zhur. 24 no.6:89-91 '54. (MLRA 8:7)

1. Naukovo-doslidnyi institut epidemiologii i mikrobiologii, la-  
boratoriya patofiziologii (m. Kiyiv).

(SMROTHERAPY,

blood prep. plazmol)

(TISSUE THERAPY,

biogenic stimulator from human blood plazmol)

MARCHUK, P.D., otvetstvennyy redaktor; BOGOMOLETS, O.A., redaktor; KAVETSkiy, P.Ye., redaktor; KOROL', S.A., redaktor; LEVCHUK, G.A., redaktor; MEDVEDEVa, N.B., redaktor; GITSHTEIN, A.D., tekhnicheskiy redaktor

[Cytotoxins in modern medicine; a collection of works commemorating the 75th birthday of Academician A.A.Bogomolets] TSitotoksiny v sovremennoi meditsine; sbornik rabot, posviashchennyi 75-letiiu so dnia rozhdeniya akademika A.A.Bogomol'tsa. Kiev, Gos. med. izd-vo USSR, 1956. 329 p. (MLRA 9:11)

1. Ukraine. Ministerstvo zdravookhraneniya,  
(SRRUM)

Korol, S.A.

The distribution of radiiodine-labeled cytotoxins in the rat. (P. D. Marchuk, S. A. Korol, and Yu. A. Umnitskii. *Vrachenskoe Delo* 1959, No. 7, 728-6; *Referat. Zhur., Khim., Biol.* Khim. 1957, No. 2923).—Iodized globulin (I) of cytotoxic and of normal serum was used. The globulin was dissolved so that 2-3 ml. of the diln. contained an amt. of globulin equiv. to 0.6 ml. of the native serum. Two-three ml. of this globulin soln. was injected intravenously into rats and the rats were killed at intervals of 15, 30, 60, 120, 240, and 1440 min. after the injection. The radioactive iodine accumulated in the liver, lungs and spleen in greater concns. In the case of I of cytotoxic serum, Thirty min. after injection of the labeled I of cytotoxic serum the greatest concns. of radiiodine were found in the liver, lungs, and bone marrow. After the injection of labeled I of normal serum greatest concns. appeared in the liver, bone marrow, and to a considerably lesser degree in the lungs. Sixty min. after the injection of the labeled I of cytotoxic or of normal serum the liver, lungs, and bone marrow of the rats retained the radioactivity; the radioactivity of the spleen at that time was higher and 60 min. after the injection of the labeled I of normal serum the greatest concn. of the radiiodine was found in the brain and in the liver.

B.S. Lysog.

Korol', S. A., Umanskiy, YU, A. and Barshteyn, YU, A.

About the effect of ACS\* upon the morphological changes in the spleen of animals, subjected to irradiation with radiocobalt gamm-rays and radio phosphorous betarays. *167*

Materialy nauchnykh konferentsii, Kiev, 1959. 268pp  
(Kievskiy Nauchno-issledovatel'skiy Institut Epidemiologii i Mikrobiologii)

Translator's note: \*Antireticular cytotoxic serum

Korol', S. A., and Umanskiy, YU. A.

Course of tetanus toxication under the effect of different types of  
ionizing radiations on grounds of changes in the reactivity. *o. 2 36*

Materialy nauchnykh konferentsii, Kiev, 1979. 268pp  
(Kievskiy Nauchno-issledovatel'skiy Institut Epidemiologii i Mikrobiologii)

Korol', S. A., Umanskiy, YU. A., and Barshetcyn, YU. A.

On the pathomorphology of the spleen of white mice during simultaneous action of tetanus toxin at different types of radiation (gamma-rays of radio cobalt and beta-rays of phosphorus) under conditions of changed reactivity. *(P. 24)*

Materialy nauchnykh konferentsii, Kiev, 1959. 283pp  
(Kievskiy Nauchno-issledovatel'skiy Institut Epidemiologii i Mikrobiologii)

Korol', S. A. and Mogenik, M. R.

Further studies of hemotoxic factors in tissues of animals subjected  
to the action of ionizing rays. *P. 24,*

Materialy nauchnykh konferentsii, Kiev, 1959. 21<sup>st</sup> (kievskiy Nauchno-issledovatel'skiy Institut Epidemiologii i Mikrobiologii)

MARCHUK, P.D.; KOROL', S.A.

Conference on the physiology and pathology of the connective tissue system and antireticular cytotoxic serum, in Kiev, December 8-11, 1958.  
Pat.fiziol. i eksp.terap. 3 no.6:84-85 N-D '59. (MIRA 13:3)  
(CONNECTIVE TISSUE)  
(ANTIRETICULAR CYTOTOXIC SERUM)

MARCHUK, P.D., otv. red. (Kiyev); BOGOMOLETS, O.A., red. (Kiyev);  
KAVETSKIY, R.Ye., red. (Kiyev); KOROL', S.A., red. (Kiyev);  
LEVCHUK, G.A., red.; MEDVEDEVA, N.B., red.; GITSHTEYN, A.D.,  
tekhn. red.

[Cytotoxins in present day medicine] TSitotoksiny v sovremen-  
noi meditsine. Kiev. Gos. med. izd-vo USSR. Vol.2. 1960. 332 p.  
(MIRA 15:3)

1. Ukraine. Ministerstvo zdravookhraneniya.  
(SERUM)

MARCHUK, P.D.; KOROL', S.A.; REREZHNA, N.M. [Berezhnaya, N.M.]

Antigenic properties of some tissues. Fiziol. zhur. [Ukr.] 7 no.5:  
636-643 S-0 '61. (MIRA 14:9)

1. Institute of Gerontology and Experimental Pathology of the Academy  
of Medical Sciences of the U.S.S.R., Kiev.  
(ANTIGENS AND ANTIBODIES) (TISSUES)

BARSHTEYN, Yu. A.; KOROL', S. A. (Kiyev)

Morphological and serological characteristics of the processes of sensitization under experimental conditions. *Arkh. pat.* no.12:21-28 '61. (MIRA 15:7)

1. Iz Kiyevskogo nauchno-issledovatel'skogo instituta epidemiologii i mikrobiologii (dir. - kandidat meditsinskikh nauk S. N. Terekhov, nauchnyy rukovoditel' - deystvitel'nyy chlen AMN SSSR prof. L. V. Gromashevskiy)

(ALLERGY) (RADIATION SICKNESS)

APPROVED FOR RELEASE: 06/14/2000  
KOROL', S.A.; RODIONOV, G.A.

CIA-RDP86-00513R000824810010-7

Data of a histomorphological study of the liver in rats of various ages under the combined effect of carbon tetrachloride and hepatocytotoxic mitochondrial serum. *Pat. fiziol. i eksp. terap.* 9 no.2: 54-59 Mr-Ap '65. (MIRA 18:5)

1. Laboratorii immunologii (zav. - prof. P.D.Marchuk) i patomorfologii (nauchnyy rukovoditel' raboty - prof. M.K.Dal') Instituta gerontologii i eksperimental'noy patologii (dir. - chlen-korrespondent AMN SSSR prof. D.F. Chebotarev) AMN SSSR, Kiyev.

ZHUKOV, D.F.; KOROL', S.I.

Study of secondary currents in the afterbays of hydraulic structures.  
Trudy Inst.energ.AN BSSR no.12:241-249 '60. (MIRA 14:6)  
(Hydraulics)

KOROL', V.

USSR/Electronics

Card 1/1

Author : Korol', V.

Title : Tuning a superheterodyne

Periodical : Radio, 3, 47 - 50, Mar, 1954

Abstract : Preparation for and the tuning of a superheterodyne receiving set is described. It is suggested first to tune the low-frequency amplifier, then the filters of the intermediate stage; followed by the pre-selecting stage and then to tune the heterodyne circuits and finally to check the conjugated frequencies. The article contains diagrams and a table of heterodyne and conjugated frequencies.

Institution : .....

Submitted : .....

KOROL', V.

USSR/ Electronics

Card : 1/1

Authors : Korol', V.

Title : Tuning a Superheterodyne

Periodical : Radià, No. 4, 45 - 47, April 1954

Abstract : The author proposes a method of tuning a superheterodyne. This method can be used by radio-amateurs in the absence of frequency-measuring instruments. The method of tuning the set by means of another heterodyne of the same frequency is described in detail. The method of frequency calculation is also explained. One circuit diagram and one table are included.

Institution : .....

Submitted : .....

KOROL', V.

Multichannel sound reproduction. Radio no.10:42-43  
'56.

(MLRA 9:11)

{ (Loud-speakers)

KOROL', V.

KOROL', V.

Bourgeois wage theories in Great Britain. Sots. trud no. 8: 36-47  
Ag '57. (MLRA 10:9)  
(Great Britain--Wages)

APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000824810010-7

KOROL', V.

Wage theory of right-wing Laborites. Sots. trud no. 7:23-22 Jl '58.  
(MIRA 11:8)

(Wages)  
(Great Britain--Socialist party)

KOROL', V., dotsent

Distribution of new housing construction projects in White Russia.  
Sbor.nauch.trud.Bel.politekh.inst. no.81:5-14 '59. (MIRA 13:5)  
(White Russia--City planning)

KOROL', V.

Planning and construction of cities of White Russia. 2b~~1~~1. stroi.  
no.7:3-6 Jl '61. (MIRA 14:8)

1. Predsedatel' Gosstroya BSSR.  
(White Russia--City planning)

KOROL', V. A.

' Architecture of the future Minsk. Minsk, Izd-vo An BSSR, 1953. 40 p. (55-34250)

MA9212.M5K6

RUBTSOV, P.A., kand.tekhn.nauk; CHINENOV, V.P., inzh.; KOROL', V.F., inzh.

Testing the RVN-40/350 vacuum pump for milking systems. Trakt.  
i sel'khozmash. no.2:38 F '64. (MIRA 17:3)

1. Zaporozhskiy filial Vsesoyuznogo nauchno-issledovatel'skogo  
instituta elektrifikatsii sel'skogo khozyaystva.

RUBTSOV, P.A.; CHINENOV, V.P.; KOROL', V.F.

Some results of testing a vacuum pump. Sbor. nauch.-tekhn.  
inform. po elektr. sel'khoz. no.16/17:24-28 '64.  
(MIRA 18:11)

18.8200

75397  
SOV/149-2-5-23/32

AUTHORS: Korol', V. K., Perlin, I. L.

TITLE: Deformation Resistance of TsAM 9-1.5 Alloy Within Temperature Range of Hot Working by Pressure

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy. Tsvetnaya metallurgiya, 1959, Vol 2, Nr 5, pp 159-166 (USSR)

ABSTRACT: Zinc alloys are now used by railroads and other industries as a good substitute for antifriction bronzes. Such an alloy is TsAM 9-1.5, consisting of 8 to 10% Al, 1 to 2% Cu, and 0.03 to 0.06% Mg, the balance being zinc. This alloy corresponds to state standard GOST 7117-56. Previous studies were conducted by German authors (Beier, W., Wolf, V., Z. Metallkunde, Nr 8, 1939; Weiss, E., Metallkunde, Nr 4, 1940), and by Vinogradov, S. V., Dnistrovskiy, N. Z., "Special Bronzes and Brasses," Metallurgizdat, 1945; they cover, however, only slow rates of deformation (10 to 120 mm/min), while hot working by pressure involves a high rate of deformation. The authors studied the latter using a tension-testing machine with a pendulum dynamometer

Card 1/6

Deformation Resistance of TsAM 9-1.5  
Alloy Within Temperature Range of  
Hot Working by Pressure

75397  
SOV/149-2-5-23/32

with a ram speed of 0.2, 1.6, 2.5, and 168 mm/sec, a drawing bench with an attachment for tensile tests, and a recording device for preparing a primary diagram by means of an oscillograph. Specimens were rods of 8-mm OD and a length of 40 to 80 mm (GOST 1497-42). The installation is shown in Figs. 1 and 2. The deformation of the specimen can be recorded simultaneously on the photographic plate and by the oscillograph. The results of tests are given in Table 2. From Table 2 it appears that the TsAM 9-1.5 alloy acquires a considerable strengthening only at the beginning (up to 10% reduction), then softens rapidly at deformation speeds of  $2.5 \cdot 10^{-3}$ ;  $2.07 \cdot 10^{-2}$ , and  $6.25 \cdot 10^{-2}$  1/sec. However, at a deformation speed of 21 1/sec a certain increase in the stress of plastic tension is observed, even at 300 to 350°. One can conclude that at slow speeds the rate of deformation does not influence substantially the resistance of the alloy. The maximum value of the speed factor (6.4, which is the ratio of the stress of plastic tension at any speed and any

Card 2/6

75397  
SOV/149-2-5-23/32




Fig. 1. Diagram of installation for simultaneous determination of applied force and cross section of the specimen during stretching. (1) Reverser; (2) dynamometer; (3) light source; (4) screen; (5) resistance heat; (6) galvanometer and thermocouple; (7) power supply; (8) photographic camera "Zenit-S"; (9) time recorder; (10) oscillograph rectifier; (11) oscillograph POB-14.

Card 3/6

Deformation Resistance of TsAM 9-1.5  
Alloy Within Temperature Range of  
Hot Working by Pressure

75397  
sov/149-2-5-23/32

reduction ratio, to the stress of plastic tension at a deformation speed =  $2.5 \cdot 10^{-3}$  sec) corresponds to a temperature of 350°. At 200° it is down to 1.3. There are 2 tables; 7 figures; and 10 references, 6 Soviet, 2 German, 2 U.S. The U.S. references are: Gonson, Moor, Proc. ASTM, B. 40. 1940; Mendschoun, J. Appl. Mech., December, 1944.

ASSOCIATION: Krasnoyarsk Institute of Nonferrous Metals. Chair of Metal Working by Pressure (Krasnoyarskiy institut tsvetnykh metallov. Kafedra obrabotki metallov davleniem)

Card 5/6

Deformation Resistance of TsAM 9-1.5  
Alloy Within Temperature Range of  
Hot Working by Pressure

75397  
SOV/149-2-5-23/32

Table 2

Dependence of the true resistance to deformation in  $\text{kg/mm}^2$  on the  
speed and the rate of deformation at various temperatures

TEMPERATURE OF SPECIMEN, °C	200			250			300			350					
	5	10	20	5	10	20	5	10	20	30	5	10	20	30	
AVERAGE SPEED OF DEFORMATION, 1/SEC															
$2,5 \cdot 10^{-3}$	15,1	15,2	15,3	7,5	7,9	7,6	8,0	4,3	4,7	5,1	5,2	2,0	2,4	3,0	2,8
$2,07 \cdot 10^{-2}$	16,4	16,6	16,7	11,1	11,0	10,7	10,7	8,2	8,0	7,5	7,1	5,0	5,0	4,1	3,6
$6,25 \cdot 10^{-2}$	17,0	17,3	17,8	12,4	12,8	13,0	13,5	9,2	9,1	9,0	9,0	6,4	6,3	6,0	5,3
2,1	19,0	19,6	20,1	18,0	18,5	19,0	19,5	14,6	15,0	15,2	15,3	11,3	11,7	12,4	12,8

Card 6/6

L 40916-66 EWT(m)/EWP(v)/T/EWP(t)/ETI/EWP(k) IJP(c) JD/HM/HW

ACC NR: AP6020741

SOURCE CODE: UR/0136/66/000/006/0080/0082

53  
52  
BAUTHOR: Korol', V. K.; Lukashkin, N. D.

ORG: none

TITLE: The bond strength between layers of bimetal from Kh18Ni10T steel and aluminum alloy

SOURCE: Tsvetnyye metally, no. 6, 1966, 80-82

TOPIC TAGS: bimetal, metal cladding, steel, aluminum alloy, sandwich structure, bonding property

ABSTRACT: The interposition of an aluminum layer between surfaces of AMg6 alloy and Kh18Ni10T steel improves the bond strength and requires lesser area reduction (35 to 40%) to attain peak strength. The effects of cladding material composition and thickness were tested by bonding 10-mm thick steel to 12-14-mm thick aluminum alloy. Cladding material was Al (0.5 to 1.5 and 3 mm thick) or AMts and ATsM alloys (both 3mm thick). Bond strength depended on the type of cladding material; Al was best and promoted proper successive deformations of the bimetallic sheet. Annealing temperatures in the range of 350 to 480C had little effect. Thickness of cladding in excess of 0.2 to 0.3 mm reduced bond strength from 19 to 14 kg(f)/mm<sup>2</sup>. V. V. Korchevnikov, I. B. Bashkirov, and T. B. Krupitkina participated in the

Card 1/2

UDC: 669-419.4

L 40916-66

ACC NR: AP6020741

work. Orig. art. has: 3 figures and 1 table.

SUB CODE: 11/ SUBM DATE: 00/ ORIG REF: 002/ OTH REF: 000

joining of dissimilar metals

Card 2/2 11b

SOV/136-59-7-12/20

AUTHORS: Perlin, I.L. and Korol', V.K.

TITLE: Stress Conditions in the Extrusion of Tubes of Type  
TsAM 9-1.5

PERIODICAL: Tsvetnyye metally, 1959, Nr 7, pp 69-74 (USSR)

ABSTRACT: The object of the work described was to get more precise information on the influence of heating temperature and extruding speed on the quality of TsAM 9-1.5 zinc-alloy (GOST 7117-54) tubes. These are widely used as substitutes for antifriction bronzes. Published information (Refs 1-5) on such alloys is discordant. The experiments, in which Yu. Ya. Kozharin participated, were carried out with a 100-ton hydraulic press and a container provided with ni-chrome heaters, which also heated the extrusion ram. Temperatures during extrusion were measured with a contact thermocouple on the tube surface near the die; stresses with the aid of resistance strain gauges. Average extrusion speed was found from the ratio of the stroke to the duration of the extrusion process, a type POB-14 oscillograph and a published (Ref 7) circuit being used. Fig 1

Card 1/3

Stress Conditions in the Extrusion of Tubes of Type TsAM 9-1.5

SOV/136-59-7-12/20

(Ref 6) graphs, are compared in Table 3. The analytical equation gives high values, especially at high degrees of deformation when a greater thermal effect arises on the production than on the laboratory scale. The authors consider the optimum extrusion-speed for tubes to be up to 8, 3 and 2 mm/sec for 250, 275 and 300°C, respectively. There are 6 figures, 3 tables and 15 references, 12 of which are Soviet and 3 German.

Card 3/3

1.1300 1413 1454 1496

26798  
S/136/61/000/007/002/002  
E111/E480

AUTHORS: Berez, A.A., Korol', V.K., Perlin, I.L.

TITLE: Experiments on the industrial production of  
zinc alloy - armco iron bimetal strip

PERIODICAL: Tsvetnyye metally, 1961, No.7, pp.65-69

TEXT: Laboratory investigations by the authors (Ref.1: Korol' B.K., Bushe N.A. VNII zheleznodorozhnogo transporta, Transzhelkorizdat, Moscow, 1959 and Ref.2: Korol' B.K., Perlin I.L. Byull, TsIIN TsM, 1961, No.3) showed that, in principle, bimetal strip of alloy ЦАМ9-1.5 (TsAM9-1.5) with armco iron could be produced by rolling: subsequent tests on bearings of the material were successful. For wider service tests a batch of the bimetal strip produced under industrial conditions was needed. Its production served also as a check of the proposed (Ref.2) rolling conditions consisting, essentially, in the production of an aluminium-clad billet of TsAM9-1.5 alloy and its combined rolling with armco iron. The aluminium was of АД1 (AD1) or А0 grade and served as the binder. It was clad onto the alloy by hot rolling (250 to 270°C) on a two-high mill (650 mm dia rolls)

Card 1/5

APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000824810010-7"

Experiments on the industrial ...

26798  
S/136/61/000/007/002/002  
E111/E480

at 1.3 m/sec rolling speed with 22 to 30% reduction per pass. Rolling was continued to a clad-billet thickness of 5.5 to 6 mm, the ingot being 30 and the aluminium 1.3 to 10 mm initially. The aluminium and TsAM9-1.5 ingot surfaces were wire-brushed. Only aluminium blanks thicker than 8.6 mm showed signs of creeping off, but still to a very small extent. The work confirms results obtained previously (Ref.2) on thinner ingots. To find the aluminium thickness giving the best adhesion, 5.5 to 6 mm thick alloy strips clad with various thicknesses of aluminium were levelled and cut into 235 to 420 mm sheets; these were annealed at 250°C and pack cold-rolled with a pickled 7.2 x 235 x 500 mm billet of armco iron. A two-high mill (700 mm roll diameter) was used with paraffin as the lubricant. The iron and aluminium surfaces were wire-brushed. Satisfactory adhesion of the alloy with iron occurred only with aluminium cladding originally 8.6 and 10 mm thick. Unsatisfactory adhesion was due to high residual stresses (Ref.3: Aynbinder, A.B. Izd-vo AN Latviyskoy SSR, Riga, 1957) and irregularities of the contacting surfaces. Since thicknesses of base and cladding in bimetal strip are required to

Card 2/5

26798

S/136/61/000/007/002/002

E111/E480

Experiments on the industrial ...

very close tolerances, the authors studied factors influencing distortion of the individual layers. Pack rolling of different alloy/iron thicknesses and ratios was carried out with pack thicknesses of 12.9 to 16.86 mm (approximating to industrial practice). The two-high mill was used, 52 to 54% reduction being effected per pass. After rolling, the thickness of individual layers was measured by a published method (Ref. 8: Gostev, B.I., Zil'berg, Yu.Ya. Aluminium Alloy ACM (ASM) for Heavily Loaded Bearings, GITI mashinostroitel'noy literature, Moscow, 1959). Neither pack thickness nor thickness ratios had any effect on deformation. The final and initial thickness  $h_0$  and  $H_0$  of the pack and the final and initial thicknesses  $h_F$  and  $H_F$  of the iron were found to be related by the expression

$$h_0/h_F = (H_0/H_F)^{0.81}$$

Recommended rolling conditions for bimetallic strip of 3.6, 4.6 and 6.2 mm thickness are shown in Table 3. Shear-strength investigation of bimetal specimens taken after each pass showed that generally this rises with increasing degree of deformation; however, heat treatment after reductions of over 50% is essential

Card 3/5

26798

S/136/61/000/007/002/002

E111/E480

Experiments on the industrial ...

for highest strength. Resistance strain gauges were used to measure rolling pressure. Because of the different mechanical properties of the layers, the equation for the average working stresses  $P_{av}$  for each deformed layer assumes the form

$$P_{av} = \frac{P_{tot}}{B_{av} \sqrt{D \Delta h}}$$

where  $P_{tot}$  is the total roll force in kg;  $B_{av}$  is average strip width before and after rolling, mm;  $\Delta h$  is absolute reduction of one of the layers, mm;  $D$  is roll diameter, mm. Calculations show that with 4.6 and 6.2 mm thick strip, a decrease in average specific pressure in the first pass is also a factor leading to poor adhesion. R.A.Peskina and A.S.Gulyayev participated in the work. There are 2 figures, 4 tables and 10 Soviet references.

ASSOCIATIONS: Mikhaylovskiy zavod po obrabotke tsvetnykh metallov (Mikhaylov Non-Ferrous Metals Treatment Works)  
 A.A.Berez; Institut tsvetnykh metallov im.  
 M.I.Kalinina (Non-Ferrous Metals Institute imeni M.I.Kalinin) V.K.Korol' and I.L.Perlin

Card 4/5

CHUD, A. I., T. TUR, L. H., KIRKOFF, A., A. S., K. S., V. S., V. S., V. S.

"On the prevention of deformation of microbial colon in school children."

Report submitted at the 13th All-Union Congress of Hygienists, Epidemiologists and Infectiologists, 1979.

BIRYUKOVICH, Alla Aleksandrovna; KOROL', Valentina Maksimovna;  
GOVORKOVA, A.F., red.; NOVOSELOVA, V.V., tekhn. red.

[Functional tests of the cardiovascular system in school-age children, 8 to 14] Funktsional'nye proby serdechno-sosudistoi sistemy u detei shkol'nogo vozrasta (8-14 let).  
Moskva, Izd-vo APN RSFSR, 1963. 52 p. (MIRA 16:5)  
(CHILDREN--CARE AND HYGIENE)  
(CARDIOVASCULAR SYSTEM)

USHAKOV, G.A., dotsent, kand.tekhn.nauk; KOROL', V.N., inzh.

Vibration packing of mine cars as a means to increase their  
loadability. Ugol' 35 no.3:41-44 Mr '60.  
(MIRA 13:6)

1. Khar'kovskiy gornyy institut.  
(Mine railroad—Cars) (Vibrators)

L 45388-65 EWT(1)/EWT(m)/EPF(c)/EEC(t)/T/EWA(m)-2 PI-4 IJP(e) MM/GG  
ACCESSION NR: AP5010943 UR/0286/65/000/007/0129/0129

AUTHORS: Skripko, A. L.; Karol', V. S.; Kovalev, G. V.

TITLE: Proton resonance hygrometer. Class 42, No. 169871

SOURCE: Byulleten' izobretaniy i tovarnykh znakov, no. 7, 1965, 129

TOPIC TAGS: moisture measurement, proton resonance 19

ABSTRACT: This Author Certificate presents a proton resonance hygrometer containing a permanent magnet, a nuclear magnetic resonance bridge detector, two narrow-band amplifiers tuned to discriminate the first and second harmonics of the NMR signal, and pointer type instruments. To increase the accuracy of measurements, the operating circuit of the amplitude bridge has a trimmer capacitor with a scale and a high-Q regenerator made according to the circuit of an underdriven generator. The generator scale determines the amount of negative resistance introduced into the circuit, which maintains the constant operation of the detector with change of the samples. To decrease the inherent noise in the amplitude bridge, two tuned amplifiers are connected at the inputs of the comparison circuit (see Fig. 1 on the Enclosure). One amplifier is connected in the voltage circuit of the operating circuit, and the second is connected in

Card 1/3

23  
22  
5

L 45388-65

ACCESSION NR: AP5010943

the balance unit circuit. Orig. art. has: 1 diagram.

ASSOCIATION: Institut avtomatiki, AN Kirgizzkoy SSR (Institute of Automation,  
AN Kirghiz SSR)

SUBMITTED: 30Dec63

ENCL: Cl

SUB CODE: MT, NP

NO REF Sov: 000


OTHER: 000

Card 2/3

L 45388-65

ACCESSION NR: AP5010943

ENCLOSURE: 01



- \* Coarse moisture measurement
- \*\* Correction for weight
- \*\*\* Accurate moisture measurement

Fig. 1. Proton resonance hygrometer

1- high-Q regenerator; 2- comparison circuit;  
3- amplifier

b6  
Card 3/3

KOROL', V.Ya.

KOYBASH, V.A.; KOROL', V.Ya.; MUZYLEV, G.A., otvetstvennyy redaktor;  
RYKOV, N. A., redaktor; ANDREYEV, G.G., tekhnicheskiy redaktor

[The design of coal preparation plants] Proektirovaniye ugleobogati-  
tel'nykh fabrik. Moskva, Ugletekhizdat, 1954. 198 p. [Microfilm]  
(Coal preparation)  
(Industrial buildings)

(MLRA 8:4)

KOROL', V. Ya.

PA 19T104

USSR/Oscillographs

Dec 1946

"Two Channel Oscillograph," V. Ya. Korol', 2 pp

"Vestnik Svyazi - Elektro Svyaz'" No 12 (81)

The operation described makes it possible to adapt an ordinary oscillograph to a two-channel oscillograph without any internal modification. Schematic diagrams included.

19T104

AUTHOR: Korol', V.Ya.

SOV/106-58-7-4/18

TITLE: A Coaxial Reflectometer with Panoramic Matching Indicator (Koaksial'nyy reflektometr s panoramnym indikatorom soglasovaniya)

PERIODICAL: Elektrosvyaz', 1958, Nr 7, pp 19 - 22 (USSR)

ABSTRACT: The instrument described may be used up to a frequency of 100 Mc/s and has a resolving capability of about 3%. The fundamental circuit is that of Figure 1 in which the generator is connected across the earthed diagonal of the bridge. The indicator is connected to the centre point of the resistances shared by the 2 diodes connected to the remaining corners of the bridge. The indicator circuit is shown in rather more detail in Figure 2. For satisfactory operation, the voltage applied to the bridge must be of the order of 1 V. The instrument is used as follows. The cable is connected to the bridge and terminated successively in open-circuit, short-circuit and nominal wave-resistance termination. For calibrating, resistances 5% above and below nominal wave-resistance are connected directly to the bridge. The results of such a procedure are shown in Figure 3.

Card 1/2

APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000824810010-7"

SOV/106-58-7-4/18

A Coaxial Reflectometer with Panoramic Matching Indicator

Figure 4 is a dynamic display in the range 50 - 90 Mc/s for a piece of RK-49 cable, 1.7 m long. Figure 5 shows a similar observation for a cable 20 m long. The behaviour of the cable when matched is shown rather more clearly in Figure 6. The frequency markers in Figures 5 and 6 are 10 Mc/s apart and the middle one is at 70 Mc/s. There are 6 figures.

SUBMITTED: January 28, 1958

1. Reflectometers--Properties

Card 2/2

KOYBASH, Valentin Alekseyevich; KOROL', Valentina Yakovlevna; LANDA,  
R.S., otv. red.; ROMANOVA, L.A., red.izd-va; LOMILINA, L.N.,  
tekhn. red.

[Planning coal preparation plants] Proektirovanie ugleobogatitel'-  
nykh fabrik. Moskva, Gos.nauchno-tekhn. izd-vo lit-ry po gor-  
nomu delu, 1962. 327 p. (MIRA 15:4)

(Coal preparation)

KOROL', Ye.A.

Transitory myopia in conjunction with transitory glaucoma. Zdrav.  
Bel. 8 no.12:66-67 D '62. (MIRA 16:1)

1. Iz zhelezodorozhnoy bol'nitsy st. Baranovichi Belorusskoy  
zheleznoy dorogi (glavnnyy vrach Ye.G.Al'khimenok).  
(GLAUCOMA) (MYOPIA)

STURMAN, A.V., veter. vrach (Strashenskiy rayon, Moldavskaya SSR); BULGAKOV, Yu.N., veter. fel'dsher (Strashenskiy rayon, Moldavskaya SSR); KAL'NITSKIY, P.I., veter. vrach (Strashenskiy rayon, Moldavskaya SSR); OCHAKOVSKIY, Z.M., veter. vrach (Strashenskiy rayon, Moldavskaya SSR); GOTSENOGA, A.D. (Strashenskiy rayon, Moldavskoy SSR); ABRAMYAN, G.I., veter. vrach; MEKHTIYEV, M.G., veter. fel'dsher (s. Shirzolu, Vedinskogo rayona Armyanskoy SSR); KIRAKOSYAN, A.A., veter. vrach; GEORGIYEV, Yu.P., veter. vrach; LOMAKIN, A.M., nauchnyy sotrudnik; SHEPELEV, L.A., veter. vrach.; TARASOV, I.I., assistant; ROMASHKIN, V.M., veter. tekhnik; ANDRIYAN, Ye.A.; BARTENEV, V.S.; KOROL', Ye.I., veter. tekhnik; YEROSHENKO, A.K., aspirant; BANZEN, Y.A.P.; SARAYKIN, I.M., prof.; ZHEVAGIN, A.N., veter. vrach; BUT'YANOV, D.D., veter. vrach (Klimovichskiy rayon, Mogilevskoy oblasti BSSR); SHALYGIN, B.V., veter. vrach (Klimovichskiy rayon, Mogilevskoy oblasti, BSSR); RYABOKON, G.T., veter. fel'dsher; MOVSUM-ZADE, K.K., prof.; DUGIN, G.L., aspirant; TITOV, G.I., nauchnyy sotrudnik; MEDVEDEV, I.G., veter. vrach.; ALIKAYEV, V.A.; ALLENOV, O.A., veter. vrach;

Prophylaxis and treatment of noninfectious diseases in calves and piglets. Veterinariia 40 no.2:40-47 F '63. (MIRA 17:2)

1. Ul'yanovskaya oblastnaya veterinarno-bakteriologicheskaya laboratoriya (for Sturman). 2. Kolkhoz imeni Kirova. Volokonovskogo  
(Continued on next card)

DERYUGIN, A.; LOMONOSOV, A.; KOROL', Yu., zasluzhenny master sporta; GUSEV, Ye; KARYAGIN, A.; ZINKEYEVA, O., master sporta; VINOGRADOV, A.; KHRISTOFOROV, G., master sporta; YUDIN, S.; YOMIN, G., master sporta.

Our inquiry. Za rul. 15 no.4:2-3 Ap '57.

(MIRA 10:6)

1. Nachal'nik otstala avtomotosporta Komiteta po fizicheskoy kul'ture i sportu pri Sovete Ministrów SSSR (for Deryugin). 2. Predsedatel' Moskovskogo oblastnogo komiteta Dobrovolskogo obshchestva sodeystviya armii, aviatsii i flotu (for Lomonosov). 3. Inzhener-mekhanik Leningradskogo Avtomotokluba (for Gusev). 4. Trener Dobrovolskogo sportivnogo obshchestva "Trudovyye rezervy" (for Zinkeyeva). 5. Nachal'nik Moskovskogo Avtomotokluba (for Vinogradov). 6. Trener Tushinskogo Avtomotokluba Dobrovolskogo obshchestva sodeystviya armii, aviatsii i flotu (for Khristoforov). 7. Nachal'nik i starshiy trener komandy TsSK MO (for Yudin).  
(Motorcycle racing)

KOROL', Yu., podpolkovnik

Out of a machine gun at a moving target. Open.vest. 41 no.2:105-  
107 D '61. (MIRA 15:3)  
(Shooting, Military)

KOROL', Yu., zasluzhenny master sporta

Return to the trade mark. Za rul. 20 no.9:20 S '62.  
(MIRA 15:9)  
(Motorcycle racing)

KOPOL', Yu.M.

Technical operations used in machining toothings. Proizv.opyt  
v tiash.mash. no.3:45-49 '55. (MLRA 10:2)

(Steel castings) (Machine-shop practice)

~~KOROL'CHENKO, A., mayor.~~

~~Improving the individual training of soldiers. Voen.vest. 35  
no.5:67-68 My '55. (MIRA 9:?)  
(Russia--Army--Infantry)~~

KOROL'CHENKO, A., podpolkovnik.

Rifle company as standing flank protection. Voen. vest. 37 no.1:31-  
36 Ja '58. (MIRA 11:2)  
(Infantry drill and tactics)

**KOROL'CHENKO, A., podpolkovnik**

Company holds a ridge. Voen. vest. 42 no.8:30-33 Ag '62.  
(MIRA 15:7)  
(Attack and defense (Military science))

KOROL'CHENKO, G. A.

The iodine-binding ability of gamma-irradiated serum albumin. Trudy  
Stal.med.inst. 27:55-57 '57  
(GAMMA RAYS--PHYSIOLOGICAL EFFECT)  
(BLOOD PROTEINS)  
(IODINE IN THE BODY)

5(3)

AUTHORS: Zhdanov, Yu. A., Korol'chenko, G. A.,  
Uvarova, S. I. SOV/20-122-5-17/56

TITLE: New Carbon-Substituted Derivatives of Glucose (Novyye  
uglerodzameshchennyye proizvodnyye glyukozy)

PERIODICAL: Doklady Akademii nauk SSSR, 1958, Vol 122, Nr 5,  
pp 811 - 813 (USSR)

ABSTRACT: In the past the authors had produced different derivatives mentioned in the title. They contained such radicals as naphthyl, tolyl, diphenyl, thiienyl, phenetyl, p-anisyl and others (Ref 1). The organomagnesian synthesis proved to be a general method of production of such compounds. The paper under review describes the synthesis of o-anisyl-tetraacetyl-glucose and its bromine and nitric derivatives. The nitroderivative formerly produced of p-anisyl-tetraacetyl-glucose was reduced to the corresponding amine. Hydration in the presence of Reney nickel proved to be the best method of reduction; other methods (with zinc, iron

Card 1/2

New Carbon-Substituted Derivatives of Glucose

SOV/20-122-5-17/56

or tin) did not yield any clear results. The synthesized  $\beta$ -amino-p-anisyl-tetraacetyl-glucose was turned into the corresponding benzoyl and toluene sulpho-derivatives. Their diazotized product had to undergo an azo-combination with aniline, phenol and  $\beta$ -naphthol. A paragraph on experiments with the usual data was added. There are 2 references, which are Soviet.

ASSOCIATION: Rostovskiy-na-Donu gosudarstvennyy universitet (Rostov-na-Donu State University)  
PRESENTED: June 4, 1958, by A.I.Oparin, Academician  
SUBMITTED: June 2, 1958

Card 2/2

ZHDANOV, Yu.A.; KOROL'CHENKO, G.A.; DOROFYENKO, G.N.; ZHUNGIVETU, G.I.

Some properties of the perchlorates of acetylated monosaccharides in the synthesis of  $\alpha$ -glycosides. Dokl. AN SSSR 154 no.4:861-863 F '64. (MIRA 17:3)

1. Rostovskiy-na-Donu gosudarstvennyy universitet. Predstavleno akademikom B.A. Kazanskim.

ZHURAV, Yu.A.; SOKOLOVSKO, G.A.

Nitro esters of C-substituted carbohydrates. Dokl. Akad. Nauk SSSR 137 no.2:  
333-334 Fe '61. (Zhurn. 14:2)

1. Rostovskiy-na-Donu gosudarstvennyy universitet. Predstavлено  
академику A.I.Oparinym.  
(Carbohydrates)

L 31806-66 EWT(m)/EWP(j) RM

ACC NR: AP6021682

SOURCE CODE: UR/0079/66/036/003/0492/0494

AUTHOR: Zhdanov, Yu. A.; Dorofeyenko, G. N.; Korol'chenko, G. A.; Ozolin, A. E.

ORG: Rostov on the Don State University (Rostovskiy-na-Donu gosudarstvennyy universitet) 42

TITLE: Condensation of D-glyceraldehyde with phosphoranes 13

SOURCE: Zhurnal obshchey khimii, v. 36, no. 3, 1966, 492-494

TOPIC TAGS: condensation reaction, aliphatic aldehyde, chemical synthesis, organic phosphorus compound, substituent, ester, nonmetallic organic derivative

ABSTRACT: A general method of synthesizing 1-C-aryl-substituted unsaturated pentuloses on the basis of the condensation of glyceraldehyde with benzoylmethyl-enetriphenylphosphorane and its derivatives is proposed. The preparation of four new unsaturated pentuloses is described. The ethyl ester of 4,5-D-dihydroxypentene-2-oic acid was obtained in the reaction of glyceraldehyde with carbethoxymethylene-triphenylphosphorane. Orig. art. has: 2 formulas. [JPRS]

SUB CODE: 07 / SUBM DATE: 05Feb65 / ORIG REF: 006 / OTH REF: 001

Card 1/1 LS

UDC: 547.451.1+547.341

ZHDANOV, Yu.A.; KOROL'CHENKO, G.A.

New syntheses of C-substituted carbohydrates. Dokl.  
AN SSSR 139 no.6:1363-1366 Ag '61. (MIRA 14:8)

1. Predstavleno akademikom A.I. Oparinym.  
(Oparin, A.I.)

ZHDANOV, Yu.A.; KOROL'CHENKO, G.A.; DOROFYENKO, G.N.

Catalytic deacetylation by means of perchloric acid in the  
carbohydrate series. Dokl. AN SSSR 143 no.4:852-854 Ap  
'62. (MIRA 15:3)

1. Rostovskiy-na-Donu gosudarstvennyy universitet. Predstavлено  
академиком А.И.Опарином.  
(Acetyl group) (Carbohydrates) (Perchloric acid)

ZHDANOV, Yu.A.; DOROFYENKO, G.N.; KOROL'CHENKO, G.A.

Catalyzed acetylation of polyoxy compounds in the presence of  
magnesium perchlorate. Dokl. AN SSSR 144 no.5:1050-1052 Je  
'62. (MIRA 15:6)

1. Rostovskiy-na-Donu gosudarstvennyy universitet. Predstavлено  
akademikom A.I.Oparinym.

(Acylation)

ZHDANOV, Yu.A., doktor khim. nauk; DOROFEEVNA, G.N.; KOROL'CHENKO, G.A.;  
BOGDANOVA, G.V.: FEDOROVA, T.P., red.; SHVETSOV, S.V., tekhn.red.

[Laboratory work in carbohydrate chemistry] Praktika po  
khimii uglevodov. Pod obshchei red. Iu.A. Zhdanova. [s.p.]  
Rozvuzizdat, 1963. 119 p. (MIRA 16:6)  
(Carbohydrates)

ZHDANOV, Yu.A.; KOROL'CHENKO, G.A.; DOROF'EYENKO, G.N.; BOGDANOVA, G.V.

Synthesis of new C-glycosides. Dokl. AN SSSR 152 no.1:102-105  
S '63. (MIRA 16:9)

1. Rostovskiy-na-Donu gosudarstvennyy universitet. Predstavлено  
akademikom A.I.Oparinym.  
(Glycosides)

KOROL'CIUK, A. G.

6661. Stanok dlya pravki tolstoy provoloki. M. 7, 1954, 6 s. s chert. z6 sm. (m-vo elekrotekhn. prom-sti SSSR. Tsentr. byuro tekhn. informatsii. Obmen opyтом v elektroekhn. prom-sti, No. 23). 1500 Ekz. B. ts.--Sost. ykazan v kontse teksta-- Bez tit. L. i obl.--55-384zh/ 621. 982

SO: KNIZHANYA LETOPIS' NO. 6, 1955

KIMMEL', I.Ya.; KOROL'CHUK, A.G.; AYZENBERG, I.S.

Mechanizing the preparation of the mould mixture. Lit.proizv. no.2:  
12 F '55. (Pattern making)

KRAYUSHKIN, V.P., kand. sel'khoz. nauk; KOROL'CHUK, V.M., red.; SAGITOVA, S.G., tekhn. red.

[Green fallows and their economic significance in the Tatar A.S.S.R.]  
Zaniatye pary i ekonomicheskoe ikh znachenie v Tatarskoi ASSR. Kazan', Tatarskoe knizhnoe izd-vo, 1960. 56 p. (MIRA 14:9)  
(Tatar A.S.S.R.--Fallowing)

DEMIDOVICH, A.F., prof., doktor sel'khoz. nauk; KOROL'CHUK, V.M., red.;  
NABIULLINA, R.S., tekhn. red.

[Methods for potato breeding and seed production] O metodakh se-  
lektssi i semenovodstva kartofelia. Kazan', Tatarskoe knizhnoe  
izd-vo, 1960. 57 p.

(Potato breeding)

YUSHKOV, S.F.; KOROL'CHUK, V.P.

Changes in the sorption properties of the mucous membrane of the gastrointestinal tract in rats to vital dyes during the use of sarcolysine. Vopr. onk. 9 no.4:86-91 '63. (MIRA 17:9)

1. Iz laboratorii eksperimental'noy khimioterapii (zav. - chlen-korrespondent AMN SSSR prof. L.F.Larionov) Instituta eksperimental'noy i klinicheskoy onkologii AMN SSSR (dir. - deystvitel'nyy chlen AMN SSSR prof. N.N.Blokhin). Adres avtorov: Moskva, I-110, ul. Shchepkina, 61/2, korpus 9, Institut eksperimental'noy i klinicheskoy onkologii AMN SSSR.

VALIULLIN, A.V.; QIL'MANOV, I.G.; KHASANOV, Kh.Kh.; XOROL'CHUKA, V.M.,  
red.; LODVIKOVA, A.S., red. izd-va; NABIULLINA, R.S., tekhn.  
red.

[Fruit culture of the Tatar A.S.S.R.] Sadovodstvo Tatarskoi ASSR.  
Kazan', Tatarskoe knizhnoe izd-vo, 1960. 279 p. (MIRA 14:9)  
(Tatar A.S.S.R.—Fruit culture)

KOROLCOWNA, Hanna

Application of the limnograph in studies on the vertical movements of the ice cover. Przegl geogr 36 no. 2:319-325 '64.

1. Field Research Station in Mikolajki, Institute of Geology, Polish Academy of Sciences.

KOROLEK, I.I., inzh.-konstruktor

Mechanized swine house for weaned piglets. Inform. biul. VDNKH  
no.11:24-25 N '63 (MIRA 18:1)

1. Vserossiyskiy nauchno-issledovatel'skiy institut mekhanizatsii i elektrifikatsii sel'skogo khozyaystva.

MIRONOV, P.N.; KOROLENKO, A.A., dotsent, zaveduyushchiy: KHARKEVICH, Yu.A., glavnnyy vrach.

Treatment of balantidiasis. Terap.arkh. 25 no.3:43-48 My-Je '53.  
(MLRA 6:9)

1. Terapevticheskoye otdeleniye Tomskoy gorodskoy klinicheskoy bol'nitay.  
(Balantidiasis)

KOROLENKO, A.B. (Moskva)

Teaching the first two topics of the ninth-grade physics course.  
Fiz. v shkole 23 no.4:72-74 Jl-Ag '63. (MIRA 17:1)

KURYSHKIN, V.P.; KOROLENKO, A.B.

Contractile capacity of the myocardium in primary and recurrent rheumatic carditis based on polycardiographic and dynamocardiographic data. Sov. med. 28 no.1536-41 Ja '65. (MKFA 1835)

1. (afisha gospital'noy terapii (av. - dotsent V.I. Sosorzhnikov)  
"Matricheskogo fakulteta Krymskogo meditsinskogo instituta,  
Simferopol'.

KOROLENKO, A. M.

KOROLENKO, A. M.: "Odontogenic osteomyelitis of the branches of the lower jaw." Min Health Ukrainian SSR. Kiev Order of Labor Red Banner Medical Inst imeni Academician A. A. Bogomolets. Kiev, 1956. (Dissertations for the Degree of Candidate in Medical Sciences).

SO: Knizhnay Letopis' No. 22, 1956

KOROLENKO, A.M., kandidat meditsinskikh nauk

Atypical forms of chronic odontogenic osteomyelitis of the jaws.  
Vrach. delo no.3:305 Mr '57 (MLRA 10:5)

1. Kafedra khirurgicheskoy stomatologii (zav.-prof. N.V. Fetisov)  
Kiyevskogo meditsinskogo instituta.  
(OSTEOMYELITIS) (JAWS--DISEASES)

KOROLENKO, A.M., kand.med.nauk

Morphological changes in tissue following the injection of novocaine  
under pressure. Vrach.delo no.8831-834 Ag '58 (MIRA 11:8)

1. Kafedra khirurgicheskoy stomatologii (zav. prof. N.V. Fetisov)  
Kiyevskogo meditsinskogo instituta.  
(TISSUES)  
(NOVOCAINE)

KOROLENKO, A.M., kand.med.nauk

Odontogenic osteomyelitis of the ramus of the mandible. Stomatologiya  
37 no.1:57-59 Ja-F '58. (MIRA 11:3)

1. Iz kafedry khirurgicheskoy stomatologii (zav. - prof. N.V. Fetisov)  
Kiyevskogo meditsinskogo instituta.  
(JAWS--SURGERY)

KOROLENKO, A.M.

Comparative evaluation of conduction anesthesia by various novocaine  
solutions. Probl. stom. 5:241-244 '60. (MIRA 15:2)

1. Kiyevskiy meditsinskiy institut.  
(NOVOCAINE) (LOCAL ANESTHESIA)

KOROLENKO, A.M., kand.med.nauk (Kiyev)

Homoplasty of preserved cartilage into the alveolus of the removed  
tooth. Probl. chal.-lits. khir. no.1:61-65 '65.

(MIRA 18:10)

GERASIMENKO, G.I., dotsent; Prinimali uchastiye: KUBOTA, V.P.,  
marksheyder; BOLSTOV, G.D., marksheyder; KOROLENKO, A.N.,  
marksheyder

Comparative evaluation of mine surveying instruments used for  
underground chambers and covities. Izv.vys.ucheb.zav.; gor.  
zhur. 6 no. 12:48-53 '63. (MIRA 17:5)

1. Donetskij ordena Trudovogo Krasnogo Znameni politekhnicheskiy  
institut.

KOROLENKO, A. S.

"Trade Treaties and Agreements of the USSR with Foreign Countries," Vneshtorgizdat, Moscow, 1953. Book review was published in Zahranicni obchod (Foreign Trade), No. 7-8, July 1954, organ of the Czechoslovak Ministry of Foreign Trade.

Summary of the above review, W-31346, 7 July 1955

LEVITSKIY, D.Z., gornyy inzh.; UDRIS, V.A., gornyy inzh.; KAGLENKO, D.T.,  
gornyy inzh.

Inclined conveyor gallery at the "Bol'shevik" Mine. Cor.zhur.  
no.10:74-75 0 '64. (MIRA 18:1)

1. Trest Leninruda, Krivoy Rog.

KOROLENKO, G.A.

Study of influenza in its foci. Trudy Tom NIIVS 12:111-114  
'60 (MIRA 16:11)

1. Tomskiy nauchno-issledovatel'skiy institut vaktsin i sy-  
vorotok.

\*

YASTREBOV, A.F.; MASTENITSA, M.A.; KOLDOMOV, M.V.; KOROLENKO, G.A.  
RAGOZINA, T.T.; VILENCHIK, R.Yu.

Lung diseases of adenoviral nature in Pavlovsk District,  
Altai Territory. Trudy TomNIIVS 14:60-64 '63. (MIRA 17:7)

1. Tomskiy nauchno-issledovatel'skiy institut vaktsin i  
syvorotok i Altayskiy krayevoy otdel zdravookhraneniya.